

#### **Gregory Zimet, PhD**


Professor of Pediatrics, Indiana University School of Medicine

The Three C's for Effective Adolescent Vaccination Recommendations:
Overcoming Communication Challenges

January 19, 2017



# UNITY Vision and Mission 501c3, Non Profit Organization



## **VISION**

Coverage is 90% or greater for all ACIP recommended adolescent vaccines

**MISSION:** UNITY Consortium, through action-oriented leadership, innovation and education will:

## **▼ESTABLISH**

adolescent immunization as a central component of preventative adolescent health and as an investment in longterm health.

## DEVELOP

healthcare providers as advocates that make strong patient-focused recommendations for all ACIP-recommended adolescent vaccines.



parents and adolescents to embrace the value of immunization.




easy access to and timely delivery of all recommended adolescent vaccines.



- To review the Three Cs provider recommendation confident, concise, and consistent – as a potential tool to improve routine vaccination coverage for adolescent vaccines
- To provide a simple framework and tools for the use of a Three Cs recommendation including FAQs and Motivational Interviewing techniques




### Recommended Immunizations






## Routine Recommendation of Adolescent Vaccines






## Substantial Gaps In Adolescent Vaccination HPV (1st, Series), MenACWY Booster, and Flu



<sup>&</sup>lt;sup>a</sup> Tdap = tetanus, diphtheria, acellular pertussis; <sup>b</sup> MenACWY = meningococcal conjugate vaccine; <sup>c</sup> Booster-dose rate based on 17-year-olds; d HPV = human papillomavirus; e 2015-2016 influenza season



## Wide Variability In Vaccination Coverage By State





## The Three Cs Approach Focuses On The In-Office, Provider Recommendation

#### Pre-Visit/ **Visit Arrival**

**Vaccination** Recommendation **Vaccination Discussion** 

**Vaccination Action** 

**Followup** 

- Knowledge/en gagement/exp ectations
  - **Parents**
  - Adolescent S
  - **Providers**
- **EHR** prompts
- **Standing Orders**

- Provider recommendation
- FAOs
- Discussion aligned to parental disposition
- Same visit administration vs. delay
- Vaccine series completion

- Reminder/recall
  - Preventive visits
  - Vaccination visits (series completion)

Three Cs Recommendation Confident, Concise, Consistent (11, 12, 16 year olds' visits)



## Three Cs Approach Confident, Concise, Consistent

#### **Provider Recommendation**

- Presumptive
- **Bundled and Equal**
- Same Day Vaccination

#### **Provider Tools**

- **FAQs**
- Motivational Interviewing





## Delivering A Three Cs Recommendation

ASSUME 'acceptor' status for all parents

#### **DELIVER Three Cs Recommendation**

- Presumptive
- Bundled and equal
- Same day vaccination

**Consent? VACCINATE!** 



## Anatomy Of A Three Cs Recommendation Presumptive Recommendation

#### Presumptive

- HOW the recommendation is <u>initiated</u>
- Assumes that parent will consent
- Recommends with confidence and conviction

#### **Presumptive Language**

<u>11-12 year old visit</u>: "Our sixth grade vaccines that we do, there are three...

<u>11-12 year old visit</u>: "He's due for his 11-year-old shots. We didn't do them last time he was here for his check up because he was sick last time, but he is due for three vaccines.

<u>16 year old visit</u>: "Right now, today, we're talking about your vaccines, and you are due for the two meningitis shots"



### Value of a Presumptive Recommendation

Multiple studies suggest that a presumptive recommendation leads to a higher rate of vaccination



# Anatomy Of A Three Cs Recommendation Bundled, Equal Recommendation

Bundled, Equal

- HOW the recommendation is <u>framed</u>
- Recommend all ACIP-recommended vaccines for that age (11/12, 16 years old) equally

#### **Bundled and Equal Language**

11-12 year old visit: "Our sixth grade vaccines that we do, there are three, and it's the Tdap, which is tetanus, diphtheria, pertussis. The other one is Gardasil, or HPV, and that one protects against cancer, and then the third one is meningitis, and that is a brain infection that we want to prevent."

<u>11-12 year old visit</u>: "He is due for three vaccines. Actually we can do four today. So the three he's normally due for, he is due **for meningitis, the HPV and the Tdap**, and we can also do the flu vaccine today."

16 year old visit: "What you are due for today, I'm sure you're due for the two meningitis shots"



# Anatomy Of A Three Cs Recommendation Unbundled, Unequal Language

#### <u>Unbundled and Unequal Language</u>

"There are some required immunizations, and there is also a couple of immunizations we like to give just for general lealth and benefit"

"One is your tetanus vaccine that is **required for school**, and then the HPV vaccine. That is **kind of important**...And then the other one is the meningitis vaccine, which is **not required for school here**, but in many states it is a requirement for middle school. It is a **really important vaccine**. It's not something that you kind of ignore."



# Anatomy Of A Three Cs Recommendation Same Day Vaccination

Same Day Vaccination

- HOW the recommendation is offered
- Administer all recommended vaccines at this office visit

#### Same Day Vaccination Language

- "He is going to be entering seventh grade.... So there are several shots that we give at this time."
- So he'll get the first dose today and comes back in x months for the second dose..."
- "You will get one shot of each today."

#### Offering Delay Can Lead to Non-Vaccination

- "You obviously do not have to do all of them today."
- "It's up to you. You can do them all now or you can wait."



### Three Cs Recommendations

1-12 YEARS


Today you are due for three shots - Tdap, HPV, and meningitis. These shots are all important because they protect you from serious diseases that could make you very sick. You will get one shot of each today. We will have you come back for the final HPV shot in 6 months.

**SYEARS** 

Today you are due for two shots that can protect you from meningitis, a rare but serious brain infection. There are two different vaccines because they protect you from different types of meningitis infections. All meningitis can lead to serious illness or even death so I want to protect you from as many types as I can. The first vaccine is a single shot at this visit. With the second vaccine, you will get a first dose today and then we'll schedule you to come back for one additional shot.



## Giving Confident and Concise Answers (FAQs)



## FAQ Resources



www.unity4teenvax.org/unity-projects



www.cdc.gov/vaccines/who/teens/for-hcp-tipsheet-hpv.pdf



#### **Urgency/Timing**

Safety
Efficacy
Shotphobia
School Requirements
Multiple Doses
Cost
Advice
Tdap
HPV
Meningitis

#### **Urgency/Timing**

Q. Can't some of these shots wait until I am a little bit older?

A. It really is better to get them now. All three vaccines are recommended for your age and I want to protect you from these serious diseases now as well as keep you on schedule. Let's do all three vaccines while you are here.



Urgency/Timing
Safety
Efficacy
Shotphobia
School Requirements
Multiple Doses
Cost
Advice
Tdap
HPV
Meningitis

#### **Efficacy**

Q. How long will the vaccines work? I don't want to get them "too early" because they might wear off.

A. Vaccines are recommended at specific ages, taking into account when people are most likely to become exposed and the length of a vaccine's protection. The vaccines I recommend are specifically recommended for your age; let's get you protected today.



Urgency/Timing
Safety
Efficacy
Shotphobia
School Requirements
Multiple Doses
Cost
Advice
Tdap
HPV
Meningitis


#### School Requirements

Q. Which vaccines are required for school (or sports)? I think that I only want to only get those today.

A. While there may be a subset of vaccines required for school entry, I recommend all of these vaccines based on expert recommendations from doctors and scientists and what is best for your health. I strongly recommend that you get all of the vaccines today.




## Parental Disposition Framework






## Parental Disposition Majority Of Parents Are "Acceptors"





## Parental Disposition Framework





### Motivational Interviewing

Motivational interviewing is a collaborative conversation style for strengthening a person's own motivation and commitment to change. It's a way of being versus a way of doing.

For hesitant or refusing parents, providers can use motivational interviewing to interact in a way that increases the motivation to change and evokes change talk (a person's own statements that favor change).

Example of change talk: "I value prevention and put great effort into keeping my kids healthy"



### Motivational Interviewing

The Key To MI Is
The Right "Heart" Set


Partnership
Active collaboration
Acceptance
Non-judgmental
Compassion
Focus on well-being
Evocation
Strengths and resources





# Motivational Interviewing Using OARS

- Open questions
- A Affirming
- R Reflecting
- **S** Summarizing





### Motivational Interviewing Tools

- 1. Invite parent/adolescent (P/A) to talk about vax
- 2. Encourage discussion of the change (pros)
- **3.** Elicit how the P/A thinks and feels about vax
- 4. Use empathic listening statements when P/A talks about vax
- 5. Acknowledge challenges about vax that P/A faces
- 6. **Provide** information that is sensitive to P/A concerns
- **7.** Actively convey respect for P/A choice
- 8. Exchange ideas with P/A about how to move forward toward acceptance



## Motivational Interviewing What It Sounds Like

#### Invites parent/adolescent to talk about vaccination

What are your concerns about the vaccine?" How can I better help you to understand the value of vaccinating?"

#### **Encourages discussion of the change (pros)**

What benefits do you see in vaccinating?

Why did you choose a 3 on the importance scale and not a lower number?" (when using scale)

#### Elicits how the parent/adolescent thinks and feels about vax

Tell me what you have heard about the side effects of the vaccine.

What have you heard from the school?

#### Uses empathic listening

You are anxious because you've read some pretty scary stuff on the Internet.

You're worried about getting three shots at a time.

Making the right decision is very important to you.



## Motivational Interviewing What It Sounds Like

#### Acknowledges challenges

I hear your concern about him being able to play softball tonight. Getting time off work to come in for the next HPV shot will be a challenge for you.

Provides information that is sensitive to parent/adolescent concerns You've mention two main concerns. Would it be alright with you if we talk about each one and then see what you think?

#### Actively conveys respect for parent/adolescent choices

I've shared my view about why this is an important vaccine but in the end this is a decision only you can make.

#### Exchange ideas on how to move forward

I have some information/ideas that might be helpful to you in making this decision. May I share them with you?



## Three Cs Recommendation Checklist 11-12 Year and 16 Year Olds

- <u>Presumptive</u> recommendation for <u>ALL</u> ACIP-recommended vaccines for the age visit
- Vaccines presented in <u>bundled</u> and <u>equal</u> manner
- Recommendation for <u>same day vaccination</u>
- Accurate and concise responses to parental questions, if any
- Identification of <u>parent/adolescent disposition</u>, particularly 'cautious acceptor' vs. 'hesitant'
- <u>Tailored conversation</u> to parent/adolescent disposition
- <u>Motivational interviewing tools</u> for 'hesitant' and 'refusing' parents/adolescents



#### Resources available at www.unity4teenvax.org/unity-projects



About Us

UNITY Projects Get Involved

1 O JOIN DONATE CONTACT

#### **UNITY Projects**

Pursuit of the Three C's: Confident, Concise, and Consistent Healthcare Provider Recommendations for Adolescent Vaccines

Healthcare provider recommendations are a critical influence on parent and adolescent agreement to vaccinate on time. This auality improvement study is designed with the goal of improving healthcare provider delivery of a confident, concise, and consistent recommendation for routinely recommended vaccines to adolescents (11, 12, and 16 year olds)

To support strong provider recommendations for adolescent vaccines, the UNITY Consortium has developed the following resources:

- . Three Cs Rationale: This video provides an overview of the UNITY Consortium (the sponsor of the Three Cs study), reviews current gaps vs. adolescent immunization goals, and provides the rationale for the QI study that focuses on the provider recommendation and applies motivational interviewing principles to the parent-provider conversation
- . Three Cs Demo and Motivational Interviewing: This video provides an overview of the Three Cs intervention (presumptive, bundled, equal recommendation for same day vaccination; FAQs; motivational interviewing guiding style of communications for truly hesitant parents) and demonstrates and reviews various scenarios of parental-provider recommendation conversations. View video worksheet.
- Example language: Three Cs Recommendation and FAQs
- Overview: Parental Disposition and Motivational Interviewing for Hesitant or Refusing Parents

#### **RESOURCES**

- Video 1: Three Cs Background/Rationale
- Video 2: Three Cs Demo and Motivational Interviewing
- Video 2 Worksheet
- Example Language: Three Cs Recommendation and FAQs
- Overview: Parental Disposition and Motivational Interviewing for Hesitant or Refusing Parents

## Summary

- Providers are key to improving vaccination coverage for adolescents
- A "strong" recommendation confident, concise, and consistent (Three Cs) – can often lead to parental consent and same day vaccination
- A Three Cs recommendation can be successful with the vast majority of parents
- For those parents that are truly hesitant, providers can apply simple Motivational Interviewing tools to collaborate with parents and increase a parent's motivation to change



### Be A Three Cs Adopter! How To Get Started

Assess current behaviors

Determine what changes to make initially, then sequence

Observe impact and reactions

Practice and routinize

Teach, train, and tell others



## Three Cs Quality Improvement Study Team Members





Gregory D. Zimet, PhD, HSPP
Professor of Pediatrics & Clinical Psychology
Specialty: Adolescent & Adult Health &
Psychology

Shannon Wilson, BA Research Assistant



Judy Klein, President Louise Stejbach, Secretary Jane Quinn, Member Denise Lewis, Member



### University of Colorado

Boulder | Colorado Springs | Denver | Anschutz Medical Campus



## Kathleen Garrett, MA, NCC, TTS-C, Member Motivational Interviewing Network of Trainers

Research Sr. Instructor, Colorado School of Public Health; Clinical Associate, Behavioral Health and Wellness Program University of Colorado Anschutz Medical Campus Specialty: Behavioral Science and Public Health Research, HCP Training and Motivational Interviewing



#### Cynthia Morris, Psy.D.

Clinical Director, Behavioral Health and Wellness Program, University of Colorado Anschutz Medical Campus Specialty: Health Behavior Change and Health Promotion



#### Rebecca Richey, Psy.D., LCSW

Asst. Clinical Director, Behavioral Health and Wellness Program, University of Colorado Anschutz Medical Campus Specialty: Advocacy, Research and Training for healthcare providers and the community



The Three C's for Effective Adolescent Vaccination Recommendations:

Overcoming Communication Challenges